



# AVerVision SPB350+

*Designed Simply for Professionals*



**All-New Revolutionary  
A+ Interactive Software 1.5 Included!**



# **AVerVision** SPB350+

## **Visualize Your Professional Presentations**

Create professional presentations with the powerful AVerVision SPB350+ Visualizer! The 5-megapixel CMOS sensor displays stunning images at 30fps in real-time. It outputs up to 1080p High Definition for vibrant, sharp images to HD projectors and monitors. Zoom into tremendous depth with the patented AVerZoom™ technology for up to 20X AVer® Optical Zoom and 160X in total. Present x-rays, slides, and negatives on the embedded 5"x 4" light box and save the captured images to the built-in memory or an SD card. In addition, design rich presentation materials using the bundled revolutionary software, A+ Interactive Software 1.5, for utilizing the annotation or video recording capabilities, incorporating digital content from your PC, the Internet, or live images from the visualizer, and more.

## **5M Sensor**



### **Stunning Vibrant Images**

Capture stunning document, object and real-time images in authentic and vibrant colors.



### **Sharp Images Up Close**

Zoom up to 160X total for sharp close-up views.



## **30fps**

Show high quality, smooth real-time video at 30fps without lag.



### **Built-in Storage**

Store 240 images for later download to PC. Extend storage capacity with the SD card slot.



With a visualizer, you can display...




**AVerVision SPB350+**

Show enlarged images to your audience through ...



Product Specifications	
Image Sensor	1/2.5" CMOS Color Image Sensor
Total Pixels	5M Pixels
Output Resolution	HD 1080p (1920 x 1080)
Zoom	160X Total Zoom (20X AVer® Optical Zoom* + 8X Digital Zoom)
Frame Rate	30fps (Max.)
Focus	Auto / Manual
Shooting Area	300mm x 225mm (A4 Landscape)
Image Rotation	Electronic Rotation 0° / 90° / 180° / 270°
Internal Storage	Built-in Memory (Max: 240; up to 2M each)
External Storage	SD Card Slot (Max: 2GB)
Image Effects	Color / B&W / Negative / Mirror / Freeze
Image Adjust.	Auto / Manual
(White Balance / Exposure / Night View)	
Display Mode	Text / Graphics / High Frame / Microscope
Capture Mode	Single / Continuous
AVerPresenter	Provided (AVerBox & AVerVisor)
Split Screen	Provided
Picture-in-Picture	Provided
Timer	Provided
Flicker Filter Control	Provided (2 Levels)
User Profile	Provided
Remote Control	Provided (with Laser Pointer)
DVI-I Output	Provided
RGB Input	Provided (15-Pins D-sub, PC Pass Through) X2
RGB Output	Provided (15-Pins D-sub)
S-Video Output	Provided (NTSC or PAL)
Composite Video Output	Provided
RS-232 Port	Provided (9-Pins D-sub)
USB 2.0 Port	Provided
Light Source	Embedded LED Lamp
Light Box	Embedded (5" x 4")
Dimension	Operating: 480mm x 380mm x 505mm Folded: 480mm x 380mm x 150mm
Net Weight	5.6 Kg (12.32 lbs)
Compatible Operating System (A+ Interactive Software 1.5)	
Windows®	XP (SP2), Vista (32-bit or 64-bit), 7
Macintosh®	OS 10.4 (Tiger), OS 10.5 (Leopard), OS 10.6 (Snow Leopard)
Package Content	
AVerVision SPB350+ Unit	Power Adapter
Remote Control (Batteries included)	Power Cord
Manual CD	RCA Cable
Dust Cover	S-Video Cable
Anti-glare Sheet	RGB Cable
A+ Interactive Software 1.5 CD	USB Cable
Quick Guide	

\* 20X AVer® Optical Zoom (12X Optical Zoom + 1.66X AVerZoom™)



**Optional Accessories**



Distributor / Dealer :

